

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081525\
 Data File : VY023126.D
 Acq On : 15 Aug 2025 15:34
 Operator : SY/MD
 Sample : Q2832-07
 Misc : 4.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TG-S04

Quant Time: Aug 18 02:30:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	567197	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	1071652	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	957867	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	386816	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	319898	59.177	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.360%
35) Dibromofluoromethane	7.634	113	338713	52.821	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.640%
50) Toluene-d8	10.103	98	1291975	51.574	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	103.140%
62) 4-Bromofluorobenzene	12.401	95	384540	47.732	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	95.460%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081525\
Data File : VY023126.D
Acq On : 15 Aug 2025 15:34
Operator : SY/MD
Sample : Q2832-07
Misc : 4.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TG-S04

Quant Time: Aug 18 02:30:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

