

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081525\
 Data File : VY023112.D
 Acq On : 15 Aug 2025 09:08
 Operator : SY/MD
 Sample : VY0815SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0815SBL01

Quant Time: Aug 18 02:23:41 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	550500	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1049087	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	953139	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	370974	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	313986	59.845	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	119.700%
35) Dibromofluoromethane	7.634	113	330708	52.682	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.360%
50) Toluene-d8	10.103	98	1285132	52.405	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	104.800%
62) 4-Bromofluorobenzene	12.401	95	374958	47.544	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	95.080%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081525\
Data File : VY023112.D
Acq On : 15 Aug 2025 09:08
Operator : SY/MD
Sample : VY0815SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0815SBL01

Quant Time: Aug 18 02:23:41 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 91
Delta R.T. 0.000 min
Lab File: VY023112.D
Acq: 15 Aug 2025 09:08




Instrument :
MSVOA_Y
ClientSampleId :
VY0815SBL01


Tgt Ion:168 Resp: 550500
Ion Ratio Lower Upper
168 100
99 56.5 42.8 64.2



#33
1,2-Dichloroethane-d4
Concen: 59.845 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.006 min
Lab File: VY023112.D
Acq: 15 Aug 2025 09:08

Tgt Ion: 65 Resp: 313986
Ion Ratio Lower Upper
65 100
67 52.3 0.0 106.8









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1130
Delta R.T. 0.006 min
Lab File: VY023112.D
Acq: 15 Aug 2025 09:08




Instrument :
MSVOA_Y
ClientSampleId :
VY0815SBL01


Tgt Ion:114 Resp: 1049087
Ion Ratio Lower Upper
114 100
63 19.0 0.0 38.4
88 14.6 0.0 30.0



#35
Dibromofluoromethane
Concen: 52.682 ug/l
RT: 7.634 min Scan# 970
Delta R.T. 0.006 min
Lab File: VY023112.D
Acq: 15 Aug 2025 09:08

Tgt Ion:113 Resp: 330708
Ion Ratio Lower Upper
113 100
111 102.9 81.1 121.7
192 19.6 16.2 24.4









#50
Toluene-d8
Concen: 52.405 ug/l
RT: 10.103 min Scan# 1375
Delta R.T. 0.000 min
Lab File: VY023112.D
Acq: 15 Aug 2025 09:08




Instrument :
MSVOA_Y
ClientSampleId :
VY0815SBL01


Tgt Ion: 98 Resp: 1285132
Ion Ratio Lower Upper
98 100
100 64.8 52.3 78.5



#62
4-Bromofluorobenzene
Concen: 47.544 ug/l
RT: 12.401 min Scan# 1752
Delta R.T. 0.000 min
Lab File: VY023112.D
Acq: 15 Aug 2025 09:08

Tgt Ion: 95 Resp: 374958
Ion Ratio Lower Upper
95 100
174 85.9 0.0 171.6
176 83.0 0.0 167.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY023112.D
Acq: 15 Aug 2025 09:08

Instrument :
MSVOA_Y
ClientSampleId :
VY0815SBL01

Tgt Ion:117 Resp: 953139
Ion Ratio Lower Upper
117 100
82 55.7 43.4 65.0
119 33.2 25.6 38.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. 0.006 min
Lab File: VY023112.D
Acq: 15 Aug 2025 09:08

Tgt Ion:152 Resp: 370974
Ion Ratio Lower Upper
152 100
115 56.8 28.2 84.6
150 157.6 0.0 348.0

