

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081925\
 Data File : VY023141.D
 Acq On : 19 Aug 2025 11:20
 Operator : SY/MD
 Sample : Q2820-01
 Misc : 6.57g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 82H-S

Quant Time: Aug 20 01:26:48 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	632898	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1176361	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	988287	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	333936	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	314601	52.156	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.320%
35) Dibromofluoromethane	7.634	113	359894	51.129	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.260%
50) Toluene-d8	10.103	98	1395208	50.738	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.480%
62) 4-Bromofluorobenzene	12.402	95	372975	42.175	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.360%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081925\
Data File : VY023141.D
Acq On : 19 Aug 2025 11:20
Operator : SY/MD
Sample : Q2820-01
Misc : 6.57g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
82H-S

Quant Time: Aug 20 01:26:48 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

