

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082025\
 Data File : VY023166.D
 Acq On : 20 Aug 2025 11:27
 Operator : SY/MD
 Sample : Q2879-03
 Misc : 3.60g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-TS-GRILLO-TSCP04-081425

Quant Time: Aug 20 11:58:24 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	539019	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	995282	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	798711	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	234966	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	275365	53.602	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	107.200%
35) Dibromofluoromethane	7.634	113	311698	52.338	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.680%
50) Toluene-d8	10.109	98	1169704	50.276	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.560%
62) 4-Bromofluorobenzene	12.408	95	317312	42.409	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	84.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082025\
Data File : VY023166.D
Acq On : 20 Aug 2025 11:27
Operator : SY/MD
Sample : Q2879-03
Misc : 3.60g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-GRILLO-TSCP04-081425

Quant Time: Aug 20 11:58:24 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

