

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082025\
 Data File : VY023170.D
 Acq On : 20 Aug 2025 13:01
 Operator : SY/MD
 Sample : Q2879-13
 Misc : 7.70g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OU4-TS-GRILLO-TSCP09-081425

Quant Time: Aug 20 15:24:16 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	525230	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	985769	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	856717	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	295759	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	301144	60.159	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	120.320%
35) Dibromofluoromethane	7.634	113	325828	55.239	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.480%
50) Toluene-d8	10.103	98	1187088	51.516	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	103.040%
62) 4-Bromofluorobenzene	12.401	95	324547	43.795	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	87.580%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082025\
Data File : VY023170.D
Acq On : 20 Aug 2025 13:01
Operator : SY/MD
Sample : Q2879-13
Misc : 7.70g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OU4-TS-GRILLO-TSCP09-081425

Quant Time: Aug 20 15:24:16 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

