

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082025\
 Data File : VY023179.D
 Acq On : 20 Aug 2025 16:32
 Operator : SY/MD
 Sample : Q2892-11
 Misc : 5.68g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 FRONT-1-FLOOR-F

Quant Time: Aug 21 01:40:55 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	486603	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	905782	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	805970	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	312976	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	263323	56.779	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.560%
35) Dibromofluoromethane	7.634	113	286482	52.857	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.720%
50) Toluene-d8	10.103	98	1093222	51.632	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	103.260%
62) 4-Bromofluorobenzene	12.402	95	312300	45.864	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	91.720%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082025\
Data File : VY023179.D
Acq On : 20 Aug 2025 16:32
Operator : SY/MD
Sample : Q2892-11
Misc : 5.68g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
FRONT-1-FLOOR-F

Quant Time: Aug 21 01:40:55 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

