

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082124\
 Data File : VY019172.D
 Acq On : 21 Aug 2024 16:17
 Operator : SY/MD
 Sample : P3641-08
 Misc : 5.13g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 S-910-K1-0-0.5-081524-FD

Quant Time: Aug 22 01:15:24 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081524S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 16 05:10:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.701	168	105548	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	178151	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	144154	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	48466	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.055	65	46197	43.663	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	87.320%
35) Dibromofluoromethane	7.628	113	54802	47.046	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	94.100%
50) Toluene-d8	10.103	98	193480	46.155	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	92.320%
62) 4-Bromofluorobenzene	12.408	95	48176	33.713	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	67.420%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082124\
Data File : VY019172.D
Acq On : 21 Aug 2024 16:17
Operator : SY/MD
Sample : P3641-08
Misc : 5.13g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
S-910-K1-0-0.5-081524-FD

Quant Time: Aug 22 01:15:24 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081524S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 16 05:10:30 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.701 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY019172.D
Acq: 21 Aug 2024 16:17




Instrument :
MSVOA_Y
ClientSampleId :
S-910-K1-0-0.5-081524-FD


Tgt Ion:168 Resp: 105548
Ion Ratio Lower Upper
168 100
99 56.0 39.1 58.7



#33
1,2-Dichloroethane-d4
Concen: 43.663 ug/l
RT: 8.055 min Scan# 1039
Delta R.T. 0.006 min
Lab File: VY019172.D
Acq: 21 Aug 2024 16:17

Tgt Ion: 65 Resp: 46197
Ion Ratio Lower Upper
65 100
67 51.3 0.0 109.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.609 min Scan# 1129

Delta R.T. 0.006 min

Lab File: VY019172.D

Acq: 21 Aug 2024 16:17

Instrument :

MSVOA_Y

ClientSampleId :

S-910-K1-0-0.5-081524-FD





Tgt Ion:114 Resp: 178151

Ion Ratio Lower Upper

114 100

63 18.5 0.0 35.0

88 15.0 0.0 27.2



#35

Dibromofluoromethane

Concen: 47.046 ug/l

RT: 7.628 min Scan# 969

Delta R.T. 0.006 min

Lab File: VY019172.D

Acq: 21 Aug 2024 16:17




Tgt Ion:113 Resp: 54802


Ion Ratio Lower Upper

113 100

111 101.4 82.2 123.4

192 18.9 15.9 23.9









#50
Toluene-d8
Concen: 46.155 ug/l
RT: 10.103 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY019172.D
Acq: 21 Aug 2024 16:17




Instrument :
MSVOA_Y
ClientSampleId :
S-910-K1-0-0.5-081524-FD


Tgt Ion: 98 Resp: 193480
Ion Ratio Lower Upper
98 100
100 68.1 52.0 78.0



#62
4-Bromofluorobenzene
Concen: 33.713 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.006 min
Lab File: VY019172.D
Acq: 21 Aug 2024 16:17

Tgt Ion: 95 Resp: 48176
Ion Ratio Lower Upper
95 100
174 87.4 0.0 175.6
176 86.4 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY019172.D

Acq: 21 Aug 2024 16:17

Instrument :

MSVOA_Y

ClientSampleId :

S-910-K1-0-0.5-081524-FD





Tgt Ion:117 Resp: 144154

Ion Ratio Lower Upper

117 100

82 52.4 42.4 63.6

119 31.5 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY019172.D

Acq: 21 Aug 2024 16:17

Tgt Ion:152 Resp: 48466

Ion Ratio Lower Upper

152 100

115 61.0 28.2 84.7

150 162.2 0.0 345.6

