

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082225\
 Data File : VY023190.D
 Acq On : 22 Aug 2025 14:03
 Operator : SY/MD
 Sample : Q2916-01
 Misc : 5.22g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 EO-03-08202025

Quant Time: Aug 25 05:16:55 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	35012	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	48344	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	32325	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	7632	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	12422	37.226	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	74.460%
35) Dibromofluoromethane	7.634	113	12956	44.788	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	89.580%
50) Toluene-d8	10.109	98	51199	45.306	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	90.620%
62) 4-Bromofluorobenzene	12.402	95	9880	27.185	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	54.380%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082225\
Data File : VY023190.D
Acq On : 22 Aug 2025 14:03
Operator : SY/MD
Sample : Q2916-01
Misc : 5.22g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
EO-03-08202025

Quant Time: Aug 25 05:16:55 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

