

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082225\
 Data File : VY023191.D
 Acq On : 22 Aug 2025 14:27
 Operator : SY/MD
 Sample : Q2917-01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-02-082025

Quant Time: Aug 25 05:17:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	36308	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	47542	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	31437	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	6317	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	13065	37.756	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	75.520%
35) Dibromofluoromethane	7.634	113	12049	42.355	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	84.720%
50) Toluene-d8	10.109	98	48621	43.750	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	87.500%
62) 4-Bromofluorobenzene	12.401	95	8571	23.981	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	47.960%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082225\
Data File : VY023191.D
Acq On : 22 Aug 2025 14:27
Operator : SY/MD
Sample : Q2917-01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-02-082025

Quant Time: Aug 25 05:17:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

