

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082225\
 Data File : VY023192.D
 Acq On : 22 Aug 2025 15:01
 Operator : SY/MD
 Sample : Q2915-01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BRIDGE-WEST

Quant Time: Aug 25 05:17:55 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	547167	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1061632	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	959323	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	389767	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	299792	57.488	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.980%
35) Dibromofluoromethane	7.634	113	343380	54.055	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.100%
50) Toluene-d8	10.109	98	1290564	52.004	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	104.000%
62) 4-Bromofluorobenzene	12.408	95	372941	46.729	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	93.460%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082225\
Data File : VY023192.D
Acq On : 22 Aug 2025 15:01
Operator : SY/MD
Sample : Q2915-01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BRIDGE-WEST

Quant Time: Aug 25 05:17:55 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

