

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082825\
 Data File : VY023222.D
 Acq On : 28 Aug 2025 13:31
 Operator : SY/MD
 Sample : Q2970-07
 Misc : 4.62g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP11

Quant Time: Aug 29 02:09:39 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	598042	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1127894	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1023236	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	415615	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	323672	56.787	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.580%
35) Dibromofluoromethane	7.634	113	357718	53.003	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	106.000%
50) Toluene-d8	10.109	98	1354585	51.377	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.760%
62) 4-Bromofluorobenzene	12.408	95	405822	47.862	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	95.720%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082825\
Data File : VY023222.D
Acq On : 28 Aug 2025 13:31
Operator : SY/MD
Sample : Q2970-07
Misc : 4.62g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP11

Quant Time: Aug 29 02:09:39 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

