

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082825\
 Data File : VY023226.D
 Acq On : 28 Aug 2025 15:04
 Operator : SY/MD
 Sample : Q2970-31
 Misc : 5.21g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP3

Quant Time: Aug 29 02:11:25 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	592101	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	1125735	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1015495	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	413546	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	316571	56.098	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.200%
35) Dibromofluoromethane	7.634	113	358973	53.291	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	106.580%
50) Toluene-d8	10.109	98	1349930	51.299	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.600%
62) 4-Bromofluorobenzene	12.401	95	399491	47.205	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	94.420%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082825\
Data File : VY023226.D
Acq On : 28 Aug 2025 15:04
Operator : SY/MD
Sample : Q2970-31
Misc : 5.21g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP3

Quant Time: Aug 29 02:11:25 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

