

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082825\
 Data File : VY023228.D
 Acq On : 28 Aug 2025 15:51
 Operator : SY/MD
 Sample : Q2969-01
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TR-05-08272025

Quant Time: Aug 29 02:12:07 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	425323	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	799580	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	729108	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	295626	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	240329	59.288	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.580%
35) Dibromofluoromethane	7.634	113	265535	55.500	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	111.000%
50) Toluene-d8	10.109	98	955913	51.144	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.280%
62) 4-Bromofluorobenzene	12.402	95	279689	46.530	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	93.060%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082825\
Data File : VY023228.D
Acq On : 28 Aug 2025 15:51
Operator : SY/MD
Sample : Q2969-01
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TR-05-08272025

Quant Time: Aug 29 02:12:07 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

