

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082925\
 Data File : VY023239.D
 Acq On : 29 Aug 2025 11:57
 Operator : SY/MD
 Sample : Q2973-01RE
 Misc : 5.33g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OK-01-082825RE

Quant Time: Aug 30 01:19:51 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	59734	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	81355	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	58605	50.000	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.347	152	14897	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	22965	40.339	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	80.680%
35) Dibromofluoromethane	7.634	113	26241	53.905	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.800%
50) Toluene-d8	10.109	98	88355	46.460	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	92.920%
62) 4-Bromofluorobenzene	12.408	95	18284	29.896	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	59.800%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082925\
Data File : VY023239.D
Acq On : 29 Aug 2025 11:57
Operator : SY/MD
Sample : Q2973-01RE
Misc : 5.33g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OK-01-082825RE

Quant Time: Aug 30 01:19:51 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

