

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082925\
 Data File : VY023243.D
 Acq On : 29 Aug 2025 13:31
 Operator : SY/MD
 Sample : Q2986-01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 NORTH-TP-1

Quant Time: Aug 30 01:21:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	556984	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	1078071	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	994698	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	405103	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	316654	59.651	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	119.300%
35) Dibromofluoromethane	7.634	113	359771	55.771	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	111.540%
50) Toluene-d8	10.109	98	1301983	51.664	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	103.320%
62) 4-Bromofluorobenzene	12.407	95	388913	47.987	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	95.980%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY082925\
Data File : VY023243.D
Acq On : 29 Aug 2025 13:31
Operator : SY/MD
Sample : Q2986-01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
NORTH-TP-1

Quant Time: Aug 30 01:21:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

