

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090225\
 Data File : VY023253.D
 Acq On : 02 Sep 2025 10:05
 Operator : SY/MD
 Sample : VY0902SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0902SBL01

Quant Time: Sep 03 03:26:55 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	633947	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1182526	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1069383	50.000	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.346	152	430142	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	332206	54.983	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	109.960%
35) Dibromofluoromethane	7.640	113	383018	54.130	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.260%
50) Toluene-d8	10.109	98	1409057	50.974	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.940%
62) 4-Bromofluorobenzene	12.408	95	413665	46.533	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	93.060%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090225\
Data File : VY023253.D
Acq On : 02 Sep 2025 10:05
Operator : SY/MD
Sample : VY0902SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0902SBL01

Quant Time: Sep 03 03:26:55 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

