

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090225\
 Data File : VY023264.D
 Acq On : 02 Sep 2025 14:47
 Operator : SY/MD
 Sample : Q2995-01
 Misc : 4.48g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RT5427

Quant Time: Sep 03 03:31:46 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	621428	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1173724	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1093463	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	468802	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	331335	55.944	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	111.880%
35) Dibromofluoromethane	7.634	113	383830	54.652	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.300%
50) Toluene-d8	10.109	98	1385069	50.482	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.960%
62) 4-Bromofluorobenzene	12.402	95	444594	50.387	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	100.780%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090225\
Data File : VY023264.D
Acq On : 02 Sep 2025 14:47
Operator : SY/MD
Sample : Q2995-01
Misc : 4.48g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RT5427

Quant Time: Sep 03 03:31:46 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

