

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090425\
 Data File : VY023286.D
 Acq On : 04 Sep 2025 15:28
 Operator : SY/MD
 Sample : Q3023-04
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-2

Quant Time: Sep 05 04:25:48 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	582364	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1113419	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1024645	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	419135	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	305634	55.066	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.140%
35) Dibromofluoromethane	7.634	113	362895	54.470	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.940%
50) Toluene-d8	10.109	98	1331201	51.147	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.300%
62) 4-Bromofluorobenzene	12.408	95	392533	46.896	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	93.800%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090425\
Data File : VY023286.D
Acq On : 04 Sep 2025 15:28
Operator : SY/MD
Sample : Q3023-04
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-2

Quant Time: Sep 05 04:25:48 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

