

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090425\
 Data File : VY023287.D
 Acq On : 04 Sep 2025 15:51
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VIBLK

Quant Time: Sep 05 04:26:08 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	591630	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1137682	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1037980	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	438226	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	316230	56.083	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.160%
35) Dibromofluoromethane	7.634	113	372001	54.646	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.300%
50) Toluene-d8	10.109	98	1362297	51.225	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.460%
62) 4-Bromofluorobenzene	12.408	95	406065	47.478	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	94.960%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090425\
Data File : VY023287.D
Acq On : 04 Sep 2025 15:51
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VIBLK

Quant Time: Sep 05 04:26:08 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

