

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090525\
 Data File : VY023297.D
 Acq On : 05 Sep 2025 14:38
 Operator : SY/MD
 Sample : Q3031-01
 Misc : 5.54g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 PL-01-09052025

Quant Time: Sep 06 01:56:23 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	591568	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	1122205	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1023383	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	423271	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	310441	55.062	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.120%
35) Dibromofluoromethane	7.634	113	363845	54.185	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.360%
50) Toluene-d8	10.109	98	1334140	50.858	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.720%
62) 4-Bromofluorobenzene	12.407	95	402526	47.714	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	95.420%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090525\
Data File : VY023297.D
Acq On : 05 Sep 2025 14:38
Operator : SY/MD
Sample : Q3031-01
Misc : 5.54g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
PL-01-09052025

Quant Time: Sep 06 01:56:23 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

