

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090924\
 Data File : VY019473.D
 Acq On : 09 Sep 2024 18:17
 Operator : SY/MD
 Sample : P3906-15
 Misc : 3.31g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SU-701-VOC-03

Quant Time: Sep 10 01:50:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	386534	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.616	114	692051	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	576898	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	204652	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	200529	56.026	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 112.060%	
35) Dibromofluoromethane	7.634	113	210568	53.664	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 107.320%	
50) Toluene-d8	10.109	98	804763	55.450	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 110.900%	
62) 4-Bromofluorobenzene	12.408	95	248917	44.605	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	= 89.220%	

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY090924\
Data File : VY019473.D
Acq On : 09 Sep 2024 18:17
Operator : SY/MD
Sample : P3906-15
Misc : 3.31g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SU-701-VOC-03

Quant Time: Sep 10 01:50:35 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
Quant Title : SW846 8260
QLast Update : Mon Sep 09 16:00:30 2024
Response via : Initial Calibration

