

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091025\
 Data File : VY023322.D
 Acq On : 10 Sep 2025 09:39
 Operator : SY/MD
 Sample : VY0910SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0910SBL01

Quant Time: Sep 11 03:46:06 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090825S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 10 01:44:33 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	583431	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	1118169	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1034716	50.000	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.346	152	415042	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	313926	61.234	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	122.460%
35) Dibromofluoromethane	7.634	113	367281	53.735	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	107.480%
50) Toluene-d8	10.109	98	1335188	51.733	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	103.460%
62) 4-Bromofluorobenzene	12.407	95	400984	49.369	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	98.740%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091025\
Data File : VY023322.D
Acq On : 10 Sep 2025 09:39
Operator : SY/MD
Sample : VY0910SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0910SBL01

Quant Time: Sep 11 03:46:06 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090825S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 10 01:44:33 2025
Response via : Initial Calibration

