

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091025\
 Data File : VY023325.D
 Acq On : 10 Sep 2025 11:39
 Operator : SY/MD
 Sample : Q3055-01
 Misc : 5.32g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-03-090925

Quant Time: Sep 11 03:48:07 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090825S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 10 01:44:33 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	610021	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	1154474	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1044014	50.000	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.346	152	422459	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	315099	58.783	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	117.560%
35) Dibromofluoromethane	7.634	113	373688	52.954	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.900%
50) Toluene-d8	10.109	98	1368860	51.370	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	102.740%
62) 4-Bromofluorobenzene	12.407	95	402254	47.968	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	95.940%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY091025\
Data File : VY023325.D
Acq On : 10 Sep 2025 11:39
Operator : SY/MD
Sample : Q3055-01
Misc : 5.32g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-03-090925

Quant Time: Sep 11 03:48:07 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090825S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 10 01:44:33 2025
Response via : Initial Calibration

