

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY091025\  
 Data File : VY023327.D  
 Acq On : 10 Sep 2025 12:25  
 Operator : SY/MD  
 Sample : Q3059-01  
 Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL/A  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 TR-06-09092025

Quant Time: Sep 11 03:48:52 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y090825S.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Sep 10 01:44:33 2025  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.713  | 168  | 524364   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.615  | 114  | 977395   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.414 | 117  | 887132   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.346 | 152  | 363041   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.067  | 65    | 277833   | 60.298   | ug/l | 0.01     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 120.600% |
| 35) Dibromofluoromethane    | 7.640  | 113   | 323236   | 54.103   | ug/l | 0.01     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 108.200% |
| 50) Toluene-d8              | 10.109 | 98    | 1161022  | 51.464   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 58 - 134 | Recovery | =    | 102.920% |
| 62) 4-Bromofluorobenzene    | 12.407 | 95    | 342731   | 48.275   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 30 - 143 | Recovery | =    | 96.540%  |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY091025\  
Data File : VY023327.D  
Acq On : 10 Sep 2025 12:25  
Operator : SY/MD  
Sample : Q3059-01  
Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL/A  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
TR-06-09092025

Quant Time: Sep 11 03:48:52 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y090825S.M  
Quant Title : SW846 8260  
QLast Update : Wed Sep 10 01:44:33 2025  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.713 min Scan# 983  
Delta R.T. 0.006 min  
Lab File: VY023327.D  
Acq: 10 Sep 2025 12:25




Instrument :  
MSVOA\_Y  
ClientSampleId :  
TR-06-09092025


Tgt Ion:168 Resp: 524364  
Ion Ratio Lower Upper  
168 100  
99 49.7 42.8 64.2



#33  
1,2-Dichloroethane-d4  
Concen: 60.298 ug/l  
RT: 8.067 min Scan# 1041  
Delta R.T. 0.012 min  
Lab File: VY023327.D  
Acq: 10 Sep 2025 12:25

Tgt Ion: 65 Resp: 277833  
Ion Ratio Lower Upper  
65 100  
67 52.0 0.0 106.8









#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 8.615 min Scan# 1131  
Delta R.T. 0.006 min  
Lab File: VY023327.D  
Acq: 10 Sep 2025 12:25




Instrument :  
MSVOA\_Y  
ClientSampleId :  
TR-06-09092025


Tgt Ion:114 Resp: 977395  
Ion Ratio Lower Upper  
114 100  
63 17.9 0.0 38.4  
88 14.9 0.0 30.0



#35  
Dibromofluoromethane  
Concen: 54.103 ug/l  
RT: 7.640 min Scan# 971  
Delta R.T. 0.012 min  
Lab File: VY023327.D  
Acq: 10 Sep 2025 12:25

Tgt Ion:113 Resp: 323236  
Ion Ratio Lower Upper  
113 100  
111 101.2 81.1 121.7  
192 21.0 16.2 24.4









#50  
Toluene-d8  
Concen: 51.464 ug/l  
RT: 10.109 min Scan# 1376  
Delta R.T. 0.006 min  
Lab File: VY023327.D  
Acq: 10 Sep 2025 12:25




Instrument :  
MSVOA\_Y  
ClientSampleId :  
TR-06-09092025


Tgt Ion: 98 Resp: 1161022  
Ion Ratio Lower Upper  
98 100  
100 65.4 52.3 78.5



#62  
4-Bromofluorobenzene  
Concen: 48.275 ug/l  
RT: 12.407 min Scan# 1753  
Delta R.T. 0.006 min  
Lab File: VY023327.D  
Acq: 10 Sep 2025 12:25

Tgt Ion: 95 Resp: 342731  
Ion Ratio Lower Upper  
95 100  
174 92.3 0.0 171.6  
176 89.1 0.0 167.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. 0.006 min

Lab File: VY023327.D

Acq: 10 Sep 2025 12:25

Instrument :

MSVOA\_Y

ClientSampleId :

TR-06-09092025





Tgt Ion:117 Resp: 887132

Ion Ratio Lower Upper

117 100

82 53.1 43.4 65.0

119 31.8 25.6 38.4



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. 0.006 min

Lab File: VY023327.D

Acq: 10 Sep 2025 12:25

Tgt Ion:152 Resp: 363041

Ion Ratio Lower Upper

152 100

115 54.8 28.2 84.6

150 155.5 0.0 348.0

