

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092222\
 Data File : VY010625.D
 Acq On : 22 Sep 2022 16:16
 Operator : KP/MD
 Sample : N4723-13
 Misc : 5.07g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-26-8.5-9.0

Quant Time: Sep 23 09:04:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 20 01:02:44 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	185139	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	353122	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	364727	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	169709	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	100131	56.545	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.100%
35) Dibromofluoromethane	7.710	113	88228	39.149	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	78.300%
50) Toluene-d8	10.179	98	333898	40.708	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	81.420%
62) 4-Bromofluorobenzene	12.483	95	110248	34.848	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	69.700%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092222\
Data File : VY010625.D
Acq On : 22 Sep 2022 16:16
Operator : KP/MD
Sample : N4723-13
Misc : 5.07g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-26-8.5-9.0

Quant Time: Sep 23 09:04:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
Quant Title : SW846 8260
QLast Update : Tue Sep 20 01:02:44 2022
Response via : Initial Calibration

