

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092324\
 Data File : VY019662.D
 Acq On : 23 Sep 2024 12:54
 Operator : SY/MD
 Sample : P4103-04
 Misc : 5.04g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-14-5-7.5A

Quant Time: Sep 24 01:45:04 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	357828	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.615	114	634730	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	512047	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	176038	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.060	65	173488	52.359	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.720%
35) Dibromofluoromethane	7.634	113	190682	52.985	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.960%
50) Toluene-d8	10.109	98	725156	54.477	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	108.960%
62) 4-Bromofluorobenzene	12.407	95	212235	41.466	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	82.940%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092324\
Data File : VY019662.D
Acq On : 23 Sep 2024 12:54
Operator : SY/MD
Sample : P4103-04
Misc : 5.04g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-14-5-7.5A

Quant Time: Sep 24 01:45:04 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
Quant Title : SW846 8260
QLast Update : Mon Sep 09 16:00:30 2024
Response via : Initial Calibration

