

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092922\
 Data File : VY010737.D
 Acq On : 29 Sep 2022 17:30
 Operator : KP/MD
 Sample : N4897-01
 Misc : 5.07g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CRUSHED-MASONRY-PILE-10

Quant Time: Sep 30 08:23:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 20 01:02:44 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	250258	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	416942	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	387169	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	198522	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	130225	54.404	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 108.800%	
35) Dibromofluoromethane	7.716	113	65437	24.592	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 49.180%#	
50) Toluene-d8	10.179	98	443863	45.438	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 90.880%	
62) 4-Bromofluorobenzene	12.477	95	170820	46.621	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 93.240%	

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY092922\
Data File : VY010737.D
Acq On : 29 Sep 2022 17:30
Operator : KP/MD
Sample : N4897-01
Misc : 5.07g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CRUSHED-MASONRY-PILE-10

Quant Time: Sep 30 08:23:52 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y091922S.M
Quant Title : SW846 8260
QLast Update : Tue Sep 20 01:02:44 2022
Response via : Initial Calibration

