

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100124\
 Data File : VY019746.D
 Acq On : 01 Oct 2024 17:11
 Operator : SY/MD
 Sample : P4225-01
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TR-04-092724

Quant Time: Oct 02 03:17:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	21234	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	33971	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	22290	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.340	152	4311	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	10336	52.568	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	105.140%
35) Dibromofluoromethane	7.634	113	10137	52.630	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.260%
50) Toluene-d8	10.103	98	37338	52.410	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	104.820%
62) 4-Bromofluorobenzene	12.402	95	8391	30.632	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	61.260%

Target Compounds Qvalue

 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100124\
Data File : VY019746.D
Acq On : 01 Oct 2024 17:11
Operator : SY/MD
Sample : P4225-01
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TR-04-092724

Quant Time: Oct 02 03:17:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
Quant Title : SW846 8260
QLast Update : Mon Sep 09 16:00:30 2024
Response via : Initial Calibration

