

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100224\
 Data File : VY019761.D
 Acq On : 02 Oct 2024 13:49
 Operator : SY/MD
 Sample : P4236-10
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP1-VOC

Quant Time: Oct 03 02:01:06 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 09 16:00:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	1399	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	2551	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	889	50.000	ug/l	# 0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	200	50.000	ug/l	# 0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	1154	89.082	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	178.160%#
35) Dibromofluoromethane	7.640	113	1151	79.579	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	159.160%#
50) Toluene-d8	10.109	98	1828	34.170	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	68.340%
62) 4-Bromofluorobenzene	12.408	95	239	11.619	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	23.240%#

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100224\
Data File : VY019761.D
Acq On : 02 Oct 2024 13:49
Operator : SY/MD
Sample : P4236-10
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP1-VOC

Quant Time: Oct 03 02:01:06 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y090924S.M
Quant Title : SW846 8260
QLast Update : Mon Sep 09 16:00:30 2024
Response via : Initial Calibration

