

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100825\
 Data File : VY023401.D
 Acq On : 08 Oct 2025 12:34
 Operator : SY/MD
 Sample : Q3304-03
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TR-05-100725

Quant Time: Oct 09 03:11:40 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	11413	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	19229	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	15659	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	2980	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	6590	69.051	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	138.100%
35) Dibromofluoromethane	7.628	113	5205	44.053	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	88.100%
50) Toluene-d8	10.103	98	20774	47.212	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.420%
62) 4-Bromofluorobenzene	12.408	95	4242	29.201	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	58.400%
Target Compounds						
5) Bromomethane	2.611	94	1015	8.298	ug/l	Qvalue 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100825\
Data File : VY023401.D
Acq On : 08 Oct 2025 12:34
Operator : SY/MD
Sample : Q3304-03
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TR-05-100725

Quant Time: Oct 09 03:11:40 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

