

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100825\
 Data File : VY023394.D
 Acq On : 08 Oct 2025 09:23
 Operator : SY/MD
 Sample : VY1008SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1008SBL01

Quant Time: Oct 09 03:06:41 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	638480	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1199973	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1137710	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	526708	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	305182	57.160	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.320%
35) Dibromofluoromethane	7.634	113	390690	52.987	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.980%
50) Toluene-d8	10.109	98	1381946	50.328	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.660%
62) 4-Bromofluorobenzene	12.402	95	465524	51.351	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	102.700%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100825\
Data File : VY023394.D
Acq On : 08 Oct 2025 09:23
Operator : SY/MD
Sample : VY1008SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1008SBL01

Quant Time: Oct 09 03:06:41 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY023394.D
Acq: 08 Oct 2025 09:23




Instrument :
MSVOA_Y
ClientSampleId :
VY1008SBL01


Tgt Ion:168 Resp: 638480
Ion Ratio Lower Upper
168 100
99 47.4 39.7 59.5



#33
1,2-Dichloroethane-d4
Concen: 57.160 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.000 min
Lab File: VY023394.D
Acq: 08 Oct 2025 09:23

Tgt Ion: 65 Resp: 305182
Ion Ratio Lower Upper
65 100
67 52.9 0.0 105.8









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. -0.000 min
Lab File: VY023394.D
Acq: 08 Oct 2025 09:23




Instrument :
MSVOA_Y
ClientSampleId :
VY1008SBL01


Tgt Ion:114 Resp: 1199973
Ion Ratio Lower Upper
114 100
63 16.7 0.0 34.2
88 14.3 0.0 28.4



#35
Dibromofluoromethane
Concen: 52.987 ug/l
RT: 7.634 min Scan# 970
Delta R.T. -0.000 min
Lab File: VY023394.D
Acq: 08 Oct 2025 09:23

Tgt Ion:113 Resp: 390690
Ion Ratio Lower Upper
113 100
111 102.0 81.8 122.6
192 22.8 18.0 27.0









#50
Toluene-d8
Concen: 50.328 ug/l
RT: 10.109 min Scan# 1375
Delta R.T. 0.006 min
Lab File: VY023394.D
Acq: 08 Oct 2025 09:23




Instrument :
MSVOA_Y
ClientSampleId :
VY1008SBL01


Tgt Ion: 98 Resp: 1381946
Ion Ratio Lower Upper
98 100
100 66.4 53.0 79.4



#62
4-Bromofluorobenzene
Concen: 51.351 ug/l
RT: 12.402 min Scan# 1752
Delta R.T. -0.000 min
Lab File: VY023394.D
Acq: 08 Oct 2025 09:23

Tgt Ion: 95 Resp: 465524
Ion Ratio Lower Upper
95 100
174 97.6 0.0 192.8
176 94.9 0.0 187.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 117
Delta R.T. -0.000 min
Lab File: VY023394.D
Acq: 08 Oct 2025 09:23

Instrument :
MSVOA_Y
ClientSampleId :
VY1008SBL01

Tgt Ion:117 Resp: 1137710
Ion Ratio Lower Upper
117 100
82 51.4 41.0 61.4
119 32.5 25.6 38.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. -0.000 min
Lab File: VY023394.D
Acq: 08 Oct 2025 09:23

Tgt Ion:152 Resp: 526708
Ion Ratio Lower Upper
152 100
115 54.2 27.1 81.2
150 157.1 0.0 347.4

