

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100925\
 Data File : VY023422.D
 Acq On : 09 Oct 2025 15:22
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 10 04:27:44 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.360	0.311	13.6	92	0.00
3 P	Chloromethane	0.490	0.430	12.2	91	0.00
4 C	Vinyl Chloride	0.639	0.570	10.8#	90	0.00
5 T	Bromomethane	0.536	0.454	15.3	92	0.00
6 T	Chloroethane	0.435	0.414	4.8	94	0.00
7 T	Trichlorofluoromethane	0.887	0.789	11.0	89	0.00
8 T	Diethyl Ether	0.232	0.205	11.6	90	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.460	0.439	4.6	95	0.00
10 T	Methyl Iodide	0.512	0.570	-11.3	100	0.00
11 T	Tert butyl alcohol	0.031	0.023	25.8#	87	0.00
12 CM	1,1-Dichloroethene	0.446	0.421	5.6#	93	0.00
13 T	Acrolein	0.044	0.030	31.8#	69	0.00
14 T	Allyl chloride	0.544	0.512	5.9	92	0.01
15 T	Acrylonitrile	0.089	0.077	13.5	89	0.00
16 T	Acetone	0.100	0.077	23.0	87	0.00
17 T	Carbon Disulfide	1.277	1.207	5.5	93	0.00
18 T	Methyl Acetate	0.261	0.230	11.9	89	0.00
19 T	Methyl tert-butyl Ether	1.072	0.975	9.0	90	0.00
20 T	Methylene Chloride	0.538	0.480	10.8	99	0.00
21 T	trans-1,2-Dichloroethene	0.491	0.476	3.1	96	0.00
22 T	Diisopropyl ether	1.202	1.149	4.4	93	0.00
23 T	Vinyl Acetate	0.651	0.586	10.0	89	0.00
24 P	1,1-Dichloroethane	0.796	0.759	4.6	95	0.00
25 T	2-Butanone	0.122	0.095	22.1	85	0.00
26 T	2,2-Dichloropropane	0.731	0.703	3.8	94	0.00
27 T	cis-1,2-Dichloroethene	0.567	0.554	2.3	97	0.00
28 T	Bromochloromethane	0.297	0.260	12.5	92	0.00
29 T	Tetrahydrofuran	0.069	0.057	17.4	85	0.00
30 C	Chloroform	0.875	0.850	2.9#	96	0.00
31 T	Cyclohexane	0.696	0.634	8.9	93	0.00
32 T	1,1,1-Trichloroethane	0.795	0.770	3.1	95	0.00
33 S	1,2-Dichloroethane-d4	0.418	0.382	8.6	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.307	0.303	1.3	96	0.00
36 T	1,1-Dichloropropene	0.407	0.400	1.7	95	0.00
37 T	Ethyl Acetate	0.161	0.140	13.0	88	0.00
38 T	Carbon Tetrachloride	0.493	0.483	2.0	95	0.00
39 T	Methylcyclohexane	0.530	0.526	0.8	94	0.00
40 TM	Benzene	1.288	1.264	1.9	95	0.00
41 T	Methacrylonitrile	0.087	0.077	11.5	91	0.00
42 TM	1,2-Dichloroethane	0.332	0.307	7.5	92	0.00
43 T	Isopropyl Acetate	0.321	0.279	13.1	87	0.00
44 TM	Trichloroethene	0.377	0.370	1.9	95	0.00
45 C	1,2-Dichloropropane	0.285	0.281	1.4#	97	0.00
46 T	Dibromomethane	0.180	0.170	5.6	93	0.00
47 T	Bromodichloromethane	0.453	0.441	2.6	95	0.00
48 T	Methyl methacrylate	0.151	0.136	9.9	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100925\
 Data File : VY023422.D
 Acq On : 09 Oct 2025 15:22
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 10 04:27:44 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	84	0.00
50 S	Toluene-d8	1.144	1.143	0.1	96	0.00
51 T	4-Methyl-2-Pentanone	0.166	0.146	12.0	87	0.00
52 CM	Toluene	0.836	0.841	-0.6#	96	0.00
53 T	t-1,3-Dichloropropene	0.394	0.373	5.3	92	0.00
54 T	cis-1,3-Dichloropropene	0.465	0.453	2.6	94	0.00
55 T	1,1,2-Trichloroethane	0.242	0.228	5.8	93	0.00
56 T	Ethyl methacrylate	0.279	0.262	6.1	89	0.00
57 T	1,3-Dichloropropane	0.383	0.362	5.5	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.125	0.126	-0.8	92	0.00
59 T	2-Hexanone	0.119	0.100	16.0	85	0.00
60 T	Dibromochloromethane	0.339	0.323	4.7	93	0.00
61 T	1,2-Dibromoethane	0.231	0.216	6.5	92	0.00
62 S	4-Bromofluorobenzene	0.378	0.374	1.1	97	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.516	0.508	1.6	94	0.00
65 PM	Chlorobenzene	1.087	1.050	3.4	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.388	0.371	4.4	96	0.00
67 C	Ethyl Benzene	1.760	1.767	-0.4#	96	0.00
68 T	m/p-Xylenes	0.706	0.709	-0.4	95	0.00
69 T	o-Xylene	0.662	0.668	-0.9	96	0.00
70 T	Styrene	1.089	1.101	-1.1	96	0.00
71 P	Bromoform	0.240	0.215	10.4	90	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
73 T	Isopropylbenzene	3.295	3.254	1.2	96	0.00
74 T	N-amyl acetate	0.592	0.502	15.2	85	0.00
75 P	1,1,2,2-Tetrachloroethane	0.539	0.460	14.7	91	0.00
76 T	1,2,3-Trichloropropane	0.441	0.414	6.1	94	0.00
77 T	Bromobenzene	0.876	0.811	7.4	94	0.00
78 T	n-propylbenzene	3.813	3.798	0.4	96	0.00
79 T	2-Chlorotoluene	2.233	2.152	3.6	95	0.00
80 T	1,3,5-Trimethylbenzene	2.663	2.627	1.4	95	0.00
81 T	trans-1,4-Dichloro-2-butene	0.180	0.154	14.4	89	0.00
82 T	4-Chlorotoluene	2.300	2.201	4.3	95	0.00
83 T	tert-Butylbenzene	2.458	2.435	0.9	95	0.00
84 T	1,2,4-Trimethylbenzene	2.657	2.622	1.3	95	0.00
85 T	sec-Butylbenzene	3.527	3.486	1.2	96	0.00
86 T	p-Isopropyltoluene	3.003	2.981	0.7	95	0.00
87 T	1,3-Dichlorobenzene	1.706	1.586	7.0	94	0.00
88 T	1,4-Dichlorobenzene	1.685	1.526	9.4	92	0.00
89 T	n-Butylbenzene	2.616	2.551	2.5	94	0.00
90 T	Hexachloroethane	0.646	0.607	6.0	95	0.00
91 T	1,2-Dichlorobenzene	1.496	1.364	8.8	93	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.088	0.071	19.3	84	0.00
93 T	1,2,4-Trichlorobenzene	0.932	0.799	14.3	86	0.00
94 T	Hexachlorobutadiene	0.581	0.515	11.4	88	0.00
95 T	Naphthalene	1.485	1.196	19.5	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY100925\
Data File : VY023422.D
Acq On : 09 Oct 2025 15:22
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Oct 10 04:27:44 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.808	0.673	16.7	83	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6