

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101122\
 Data File : VY010912.D
 Acq On : 11 Oct 2022 13:11
 Operator : KP/MD
 Sample : N5047-01
 Misc : 5.08g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-3-100622

Quant Time: Oct 11 14:09:11 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100322S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 04 07:26:22 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	6208	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	10321	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	8446	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	2600	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	4471	71.052	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	142.100%
35) Dibromofluoromethane	7.716	113	2081	30.374	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	60.740%
50) Toluene-d8	10.179	98	12232	52.206	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	104.420%
62) 4-Bromofluorobenzene	12.477	95	3796	40.791	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	81.580%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101122\
Data File : VY010912.D
Acq On : 11 Oct 2022 13:11
Operator : KP/MD
Sample : N5047-01
Misc : 5.08g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-3-100622

Quant Time: Oct 11 14:09:11 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100322S.M
Quant Title : SW846 8260
QLast Update : Tue Oct 04 07:26:22 2022
Response via : Initial Calibration

