

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv101419\
 Data File : VY000291.D
 Acq On : 14 Oct 2019 11:10
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00q/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 15 01:32:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Mon Oct 14 08:10:23 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	115	0.00
2 T	Dichlorodifluoromethane	0.446	0.398	10.8	115	0.00
3 P	Chloromethane	0.611	0.582	4.7	117	0.00
4 C	Vinyl Chloride	0.617	0.631	-2.3#	124	0.00
5 T	Bromomethane	0.457	0.421	7.9	123	0.00
6 T	Chloroethane	0.398	0.408	-2.5	121	0.00
7 T	Trichlorofluoromethane	0.843	0.878	-4.2	124	0.00
8 T	Diethyl Ether	0.298	0.323	-8.4	131	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.512	0.541	-5.7	125	0.00
10 T	Methyl Iodide	0.668	0.786	-17.7	121	0.00
11 T	Tert butyl alcohol	0.055	0.050	9.1	103	0.00
12 CM	1,1-Dichloroethene	0.505	0.534	-5.7#	124	0.00
13 T	Acrolein	0.065	0.064	1.5	113	0.00
14 T	Allyl chloride	0.837	0.904	-8.0	128	0.00
15 T	Acrylonitrile	0.167	0.164	1.8	111	-0.01
16 T	Acetone	0.171	0.188	-9.9	116	0.00
17 T	Carbon Disulfide	1.590	1.668	-4.9	126	0.00
18 T	Methyl Acetate	0.424	0.384	9.4	113	0.00
19 T	Methyl tert-butyl Ether	1.406	1.529	-8.7	128	-0.01
20 T	Methylene Chloride	0.700	0.603	13.9	123	0.00
21 T	trans-1,2-Dichloroethene	0.579	0.609	-5.2	125	0.00
22 T	Diisopropyl ether	1.770	1.977	-11.7	130	0.00
23 T	Vinyl Acetate	1.155	1.261	-9.2	123	-0.01
24 P	1,1-Dichloroethane	0.966	1.069	-10.7	130	0.00
25 T	2-Butanone	0.241	0.256	-6.2	117	0.00
26 T	2,2-Dichloropropane	0.890	0.966	-8.5	130	0.00
27 T	cis-1,2-Dichloroethene	0.627	0.697	-11.2	131	0.00
28 T	Bromochloromethane	0.415	0.448	-8.0	123	-0.01
29 T	Tetrahydrofuran	0.146	0.143	2.1	110	0.00
30 C	Chloroform	0.973	1.086	-11.6#	129	0.00
31 T	Cyclohexane	1.009	1.031	-2.2	125	0.00
32 T	1,1,1-Trichloroethane	0.865	0.963	-11.3	128	0.00
33 S	1,2-Dichloroethane-d4	0.527	0.590	-12.0	126	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	117	0.00
35 S	Dibromofluoromethane	0.302	0.325	-7.6	126	0.00
36 T	1,1-Dichloropropene	0.490	0.508	-3.7	127	0.00
37 T	Ethyl Acetate	0.290	0.281	3.1	112	0.00
38 T	Carbon Tetrachloride	0.474	0.508	-7.2	128	0.00
39 T	Methylcyclohexane	0.641	0.673	-5.0	126	0.00
40 TM	Benzene	1.415	1.511	-6.8	128	0.00
41 T	Methacrylonitrile	0.138	0.138	0.0	117	0.00
42 TM	1,2-Dichloroethane	0.404	0.430	-6.4	126	0.00
43 T	Isopropyl Acetate	0.551	0.571	-3.6	119	0.00
44 TM	Trichloroethene	0.397	0.416	-4.8	125	0.00
45 C	1,2-Dichloropropane	0.347	0.385	-11.0#	130	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv101419\
 Data File : VY000291.D
 Acq On : 14 Oct 2019 11:10
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00q/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 15 01:32:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
 Quant Title : SW846 8260
 QLast Update : Mon Oct 14 08:10:23 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.194	0.206	-6.2	126	0.00
47 T	Bromodichloromethane	0.457	0.514	-12.5	132	0.00
48 T	Methyl methacrylate	0.242	0.256	-5.8	121	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	106	0.00
50 S	Toluene-d8	1.160	1.338	-15.3	127	0.00
51 T	4-Methyl-2-Pentanone	0.284	0.294	-3.5	117	0.00
52 CM	Toluene	0.898	0.985	-9.7#	130	0.00
53 T	t-1,3-Dichloropropene	0.490	0.561	-14.5	133	0.00
54 T	cis-1,3-Dichloropropene	0.557	0.637	-14.4	132	0.00
55 T	1,1,2-Trichloroethane	0.282	0.303	-7.4	130	0.00
56 T	Ethyl methacrylate	0.402	0.455	-13.2	128	0.00
57 T	1,3-Dichloropropane	0.485	0.531	-9.5	128	0.00
58 T	2-Chloroethyl Vinyl ether	0.160	0.208	-30.0#	153#	0.00
59 T	2-Hexanone	0.200	0.227	-13.5	126	0.00
60 T	Dibromochloromethane	0.313	0.358	-14.4	133	0.00
61 T	1,2-Dibromoethane	0.271	0.292	-7.7	125	0.00
62 S	4-Bromofluorobenzene	0.441	0.486	-10.2	130	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	120	0.00
64 T	Tetrachloroethene	0.476	0.489	-2.7	124	0.00
65 PM	Chlorobenzene	1.055	1.142	-8.2	131	0.00
66 T	1,1,1,2-Tetrachloroethane	0.371	0.411	-10.8	132	0.00
67 C	Ethyl Benzene	1.956	2.116	-8.2#	129	0.00
68 T	m/p-Xylenes	0.748	0.806	-7.8	128	0.00
69 T	o-Xylene	0.713	0.771	-8.1	130	0.00
70 T	Styrene	1.203	1.336	-11.1	131	0.00
71 P	Bromoform	0.213	0.242	-13.6	128	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	117	0.00
73 T	Isopropylbenzene	3.899	4.254	-9.1	131	0.00
74 T	N-amyl acetate	0.957	1.172	-22.5#	134	0.00
75 P	1,1,2,2-Tetrachloroethane	0.732	0.767	-4.8	124	0.00
76 T	1,2,3-Trichloropropane	0.615	0.646	-5.0	118	0.00
77 T	Bromobenzene	0.868	0.947	-9.1	133	0.00
78 T	n-propylbenzene	4.681	5.135	-9.7	130	0.00
79 T	2-Chlorotoluene	2.585	2.865	-10.8	131	0.00
80 T	1,3,5-Trimethylbenzene	3.269	3.583	-9.6	130	0.00
81 T	trans-1,4-Dichloro-2-butene	0.281	0.307	-9.3	122	0.00
82 T	4-Chlorotoluene	2.733	3.036	-11.1	131	0.00
83 T	tert-Butylbenzene	2.768	2.991	-8.1	128	0.00
84 T	1,2,4-Trimethylbenzene	3.227	3.588	-11.2	131	0.00
85 T	sec-Butylbenzene	4.005	4.411	-10.1	128	0.00
86 T	p-Isopropyltoluene	3.492	3.864	-10.7	128	0.00
87 T	1,3-Dichlorobenzene	1.709	1.843	-7.8	130	0.00
88 T	1,4-Dichlorobenzene	1.708	1.876	-9.8	132	0.00
89 T	n-Butylbenzene	3.450	3.853	-11.7	129	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv101419\
Data File : VY000291.D
Acq On : 14 Oct 2019 11:10
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00q/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Oct 15 01:32:43 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y101119S.M
Quant Title : SW846 8260
QLast Update : Mon Oct 14 08:10:23 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.647	0.742	-14.7	132	0.00
91 T	1,2-Dichlorobenzene	1.547	1.699	-9.8	127	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.139	0.138	0.7	117	0.00
93 T	1,2,4-Trichlorobenzene	1.077	1.149	-6.7	130	0.00
94 T	Hexachlorobutadiene	0.583	0.597	-2.4	123	0.00
95 T	Naphthalene	2.403	2.607	-8.5	129	0.00
96 T	1,2,3-Trichlorobenzene	0.971	1.034	-6.5	128	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6