

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101625\
 Data File : VY023485.D
 Acq On : 16 Oct 2025 11:18
 Operator : SY/MD
 Sample : Q3355-01RE
 Misc : 5.24g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 EO-03-101525RE

Quant Time: Oct 17 01:53:26 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	226609	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	419902	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	436383	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	211023	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	128152	67.629	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	135.260%
35) Dibromofluoromethane	7.640	113	157199	60.928	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	121.860%
50) Toluene-d8	10.109	98	507727	52.841	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	105.680%
62) 4-Bromofluorobenzene	12.408	95	182510	57.533	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	115.060%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY101625\
Data File : VY023485.D
Acq On : 16 Oct 2025 11:18
Operator : SY/MD
Sample : Q3355-01RE
Misc : 5.24g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
EO-03-101525RE

Quant Time: Oct 17 01:53:26 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 99
Delta R.T. 0.006 min
Lab File: VY023485.D
Acq: 16 Oct 2025 11:18




Instrument :
MSVOA_Y
ClientSampleId :
EO-03-101525RE


Tgt Ion:168 Resp: 226609
Ion Ratio Lower Upper
168 100
99 49.3 39.7 59.5



#33
1,2-Dichloroethane-d4
Concen: 67.629 ug/l
RT: 8.067 min Scan# 1041
Delta R.T. 0.006 min
Lab File: VY023485.D
Acq: 16 Oct 2025 11:18

Tgt Ion: 65 Resp: 128152
Ion Ratio Lower Upper
65 100
67 52.5 0.0 105.8









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. 0.000 min
Lab File: VY023485.D
Acq: 16 Oct 2025 11:18




Instrument :
MSVOA_Y
ClientSampleId :
EO-03-101525RE


Tgt Ion:114 Resp: 419902
Ion Ratio Lower Upper
114 100
63 17.7 0.0 34.2
88 13.6 0.0 28.4



#35
Dibromofluoromethane
Concen: 60.928 ug/l
RT: 7.640 min Scan# 971
Delta R.T. 0.006 min
Lab File: VY023485.D
Acq: 16 Oct 2025 11:18

Tgt Ion:113 Resp: 157199
Ion Ratio Lower Upper
113 100
111 104.0 81.8 122.6
192 22.1 18.0 27.0









#50
Toluene-d8
Concen: 52.841 ug/l
RT: 10.109 min Scan# 1375
Delta R.T. 0.006 min
Lab File: VY023485.D
Acq: 16 Oct 2025 11:18




Instrument :
MSVOA_Y
ClientSampleId :
EO-03-101525RE


Tgt Ion: 98 Resp: 507727
Ion Ratio Lower Upper
98 100
100 65.2 53.0 79.4



#62
4-Bromofluorobenzene
Concen: 57.533 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.006 min
Lab File: VY023485.D
Acq: 16 Oct 2025 11:18

Tgt Ion: 95 Resp: 182510
Ion Ratio Lower Upper
95 100
174 97.8 0.0 192.8
176 92.7 0.0 187.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.420 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY023485.D
Acq: 16 Oct 2025 11:18

Instrument :
MSVOA_Y
ClientSampleId :
EO-03-101525RE

Tgt Ion:117 Resp: 436383
Ion Ratio Lower Upper
117 100
82 50.0 41.0 61.4
119 31.7 25.6 38.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.347 min Scan# 1907
Delta R.T. 0.000 min
Lab File: VY023485.D
Acq: 16 Oct 2025 11:18

Tgt Ion:152 Resp: 211023
Ion Ratio Lower Upper
152 100
115 56.3 27.1 81.2
150 157.1 0.0 347.4

