

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102025\
 Data File : VY023496.D
 Acq On : 20 Oct 2025 09:37
 Operator : SY/MD
 Sample : VY1020SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY1020SBL01

Quant Time: Oct 21 03:54:13 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	824447	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1344685	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1118365	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	444219	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	342584	49.692	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	99.380%
35) Dibromofluoromethane	7.640	113	424251	51.347	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.700%
50) Toluene-d8	10.109	98	1507991	49.008	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.020%
62) 4-Bromofluorobenzene	12.408	95	412361	40.592	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	81.180%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102025\
Data File : VY023496.D
Acq On : 20 Oct 2025 09:37
Operator : SY/MD
Sample : VY1020SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY1020SBL01

Quant Time: Oct 21 03:54:13 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

