

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102025\
 Data File : VY023514.D
 Acq On : 20 Oct 2025 17:21
 Operator : SY/MD
 Sample : Q3381-07
 Misc : 4.00g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VNJ-255

Quant Time: Oct 21 04:01:53 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	678446	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	1160460	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	974959	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	389973	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	319141	56.253	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.500%
35) Dibromofluoromethane	7.640	113	372455	52.234	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.460%
50) Toluene-d8	10.109	98	1315996	49.558	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.120%
62) 4-Bromofluorobenzene	12.407	95	353830	40.359	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	80.720%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102025\
Data File : VY023514.D
Acq On : 20 Oct 2025 17:21
Operator : SY/MD
Sample : Q3381-07
Misc : 4.00g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VNJ-255

Quant Time: Oct 21 04:01:53 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

