

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102025\
 Data File : VY023515.D
 Acq On : 20 Oct 2025 17:45
 Operator : SY/MD
 Sample : Q3397-03
 Misc : 5.06g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-7-VOC

Quant Time: Oct 21 04:02:12 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	603343	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1020536	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	860237	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	352309	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	280038	55.505	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	111.020%
35) Dibromofluoromethane	7.640	113	332198	52.976	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.960%
50) Toluene-d8	10.109	98	1160739	49.705	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.400%
62) 4-Bromofluorobenzene	12.408	95	309180	40.102	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	80.200%


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102025\
Data File : VY023515.D
Acq On : 20 Oct 2025 17:45
Operator : SY/MD
Sample : Q3397-03
Misc : 5.06g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-7-VOC

Quant Time: Oct 21 04:02:12 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 982
Delta R.T. 0.006 min
Lab File: VY023515.D
Acq: 20 Oct 2025 17:45




Instrument :
MSVOA_Y
ClientSampleId :
TP-7-VOC


Tgt Ion:168 Resp: 603343
Ion Ratio Lower Upper
168 100
99 49.1 39.7 59.5



#33
1,2-Dichloroethane-d4
Concen: 55.505 ug/l
RT: 8.067 min Scan# 1041
Delta R.T. 0.006 min
Lab File: VY023515.D
Acq: 20 Oct 2025 17:45

Tgt Ion: 65 Resp: 280038
Ion Ratio Lower Upper
65 100
67 52.7 0.0 105.8








#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. -0.000 min
Lab File: VY023515.D
Acq: 20 Oct 2025 17:45




Instrument :
MSVOA_Y
ClientSampleId :
TP-7-VOC


Tgt Ion:114 Resp: 1020536
Ion Ratio Lower Upper
114 100
63 17.1 0.0 34.2
88 15.0 0.0 28.4



#35
Dibromofluoromethane
Concen: 52.976 ug/l
RT: 7.640 min Scan# 971
Delta R.T. 0.006 min
Lab File: VY023515.D
Acq: 20 Oct 2025 17:45

Tgt Ion:113 Resp: 332198
Ion Ratio Lower Upper
113 100
111 101.5 81.8 122.6
192 22.2 18.0 27.0








#50
Toluene-d8
Concen: 49.705 ug/l
RT: 10.109 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY023515.D
Acq: 20 Oct 2025 17:45




Instrument :
MSVOA_Y
ClientSampleId :
TP-7-VOC


Tgt Ion: 98 Resp: 1160739
Ion Ratio Lower Upper
98 100
100 65.3 53.0 79.4



#62
4-Bromofluorobenzene
Concen: 40.102 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.006 min
Lab File: VY023515.D
Acq: 20 Oct 2025 17:45

Tgt Ion: 95 Resp: 309180
Ion Ratio Lower Upper
95 100
174 97.3 0.0 192.8
176 92.8 0.0 187.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 11

Delta R.T. 0.006 min

Lab File: VY023515.D

Acq: 20 Oct 2025 17:45

Instrument :

MSVOA_Y

ClientSampleId :

TP-7-VOC





Tgt Ion:117 Resp: 860237

Ion Ratio Lower Upper

117 100

82 48.8 41.0 61.4

119 31.4 25.6 38.4



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.000 min

Lab File: VY023515.D

Acq: 20 Oct 2025 17:45

Tgt Ion:152 Resp: 352309

Ion Ratio Lower Upper

152 100

115 54.3 27.1 81.2

150 156.3 0.0 347.4

