

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102125\
 Data File : VY023539.D
 Acq On : 21 Oct 2025 16:57
 Operator : SY/MD
 Sample : Q3412-03
 Misc : 5.35g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-6-VOC

Quant Time: Oct 24 01:38:07 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	785628	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	1287276	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1118313	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	471402	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	351428	53.494	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.980%
35) Dibromofluoromethane	7.634	113	410441	51.891	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.780%
50) Toluene-d8	10.109	98	1460077	49.567	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.140%
62) 4-Bromofluorobenzene	12.407	95	429018	44.115	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	88.220%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102125\
Data File : VY023539.D
Acq On : 21 Oct 2025 16:57
Operator : SY/MD
Sample : Q3412-03
Misc : 5.35g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-6-VOC

Quant Time: Oct 24 01:38:07 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

