

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102125\
 Data File : VY023525.D
 Acq On : 21 Oct 2025 11:03
 Operator : SY/MD
 Sample : Q3383-01
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-03-101725

Quant Time: Oct 22 14:12:51 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	784527	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1309945	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1102151	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	445690	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	355143	54.135	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	108.260%
35) Dibromofluoromethane	7.640	113	420121	52.195	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.400%
50) Toluene-d8	10.109	98	1458229	48.648	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.300%
62) 4-Bromofluorobenzene	12.408	95	420899	42.531	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	85.060%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102125\
Data File : VY023525.D
Acq On : 21 Oct 2025 11:03
Operator : SY/MD
Sample : Q3383-01
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-03-101725

Quant Time: Oct 22 14:12:51 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY023525.D
Acq: 21 Oct 2025 11:03




Instrument :
MSVOA_Y
ClientSampleId :
OR-03-101725


Tgt Ion:168 Resp: 784527
Ion Ratio Lower Upper
168 100
99 47.7 39.7 59.5



#33
1,2-Dichloroethane-d4
Concen: 54.135 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.000 min
Lab File: VY023525.D
Acq: 21 Oct 2025 11:03

Tgt Ion: 65 Resp: 355143
Ion Ratio Lower Upper
65 100
67 52.5 0.0 105.8









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.616 min Scan# 1131
Delta R.T. -0.000 min
Lab File: VY023525.D
Acq: 21 Oct 2025 11:03




Instrument :
MSVOA_Y
ClientSampleId :
OR-03-101725


Tgt Ion:114 Resp: 1309945
Ion Ratio Lower Upper
114 100
63 16.7 0.0 34.2
88 14.2 0.0 28.4



#35
Dibromofluoromethane
Concen: 52.195 ug/l
RT: 7.640 min Scan# 971
Delta R.T. 0.006 min
Lab File: VY023525.D
Acq: 21 Oct 2025 11:03

Tgt Ion:113 Resp: 420121
Ion Ratio Lower Upper
113 100
111 102.0 81.8 122.6
192 22.2 18.0 27.0









#50
Toluene-d8
Concen: 48.648 ug/l
RT: 10.109 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY023525.D
Acq: 21 Oct 2025 11:03




Instrument :
MSVOA_Y
ClientSampleId :
OR-03-101725


Tgt Ion: 98 Resp: 1458229
Ion Ratio Lower Upper
98 100
100 65.8 53.0 79.4



#62
4-Bromofluorobenzene
Concen: 42.531 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.006 min
Lab File: VY023525.D
Acq: 21 Oct 2025 11:03

Tgt Ion: 95 Resp: 420899
Ion Ratio Lower Upper
95 100
174 97.5 0.0 192.8
176 94.8 0.0 187.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 11

Delta R.T. 0.006 min

Lab File: VY023525.D

Acq: 21 Oct 2025 11:03

Instrument :

MSVOA_Y

ClientSampleId :

OR-03-101725





Tgt Ion:117 Resp: 1102151

Ion Ratio Lower Upper

117 100

82 48.4 41.0 61.4

119 32.5 25.6 38.4



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.000 min

Lab File: VY023525.D

Acq: 21 Oct 2025 11:03

Tgt Ion:152 Resp: 445690

Ion Ratio Lower Upper

152 100

115 53.5 27.1 81.2

150 156.0 0.0 347.4

