

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102425\
 Data File : VY023575.D
 Acq On : 24 Oct 2025 16:01
 Operator : SY/MD
 Sample : Q3452-03
 Misc : 4.48g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 JB-1-VOC

Quant Time: Oct 24 23:53:36 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	804116	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1320571	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	1080404	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	430520	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	328900	48.913	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.820%
35) Dibromofluoromethane	7.640	113	409419	50.457	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.920%
50) Toluene-d8	10.109	98	1460028	48.316	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.640%
62) 4-Bromofluorobenzene	12.408	95	394981	39.591	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	79.180%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102425\
Data File : VY023575.D
Acq On : 24 Oct 2025 16:01
Operator : SY/MD
Sample : Q3452-03
Misc : 4.48g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
JB-1-VOC

Quant Time: Oct 24 23:53:36 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

