

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102622\
 Data File : VY011121.D
 Acq On : 26 Oct 2022 17:05
 Operator : KP/MD
 Sample : N5281-10
 Misc : 3.69g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-10

Quant Time: Oct 27 04:40:10 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y101722S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 18 01:42:42 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	332985	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	603834	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.483	117	537097	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	245258	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	127798	41.665	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	83.320%
35) Dibromofluoromethane	7.710	113	137869	40.553	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	81.100%
50) Toluene-d8	10.173	98	444049	35.219	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	70.440%
62) 4-Bromofluorobenzene	12.477	95	160050	34.909	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	69.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102622\
Data File : VY011121.D
Acq On : 26 Oct 2022 17:05
Operator : KP/MD
Sample : N5281-10
Misc : 3.69g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-10

Quant Time: Oct 27 04:40:10 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y101722S.M
Quant Title : SW846 8260
QLast Update : Tue Oct 18 01:42:42 2022
Response via : Initial Calibration

