

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102725\
 Data File : VY023589.D
 Acq On : 27 Oct 2025 11:20
 Operator : SY/MD
 Sample : Q3457-01
 Misc : 5.63g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TR-05-102425

Quant Time: Oct 28 04:38:02 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	762185	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1244785	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	985397	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	364961	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	303420	47.606	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	95.220%
35) Dibromofluoromethane	7.640	113	380112	49.697	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.400%
50) Toluene-d8	10.109	98	1381551	48.502	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.000%
62) 4-Bromofluorobenzene	12.408	95	355330	37.785	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	75.560%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102725\
Data File : VY023589.D
Acq On : 27 Oct 2025 11:20
Operator : SY/MD
Sample : Q3457-01
Misc : 5.63g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TR-05-102425

Quant Time: Oct 28 04:38:02 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

