

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102824\
 Data File : VY020041.D
 Acq On : 28 Oct 2024 16:05
 Operator : SY/MD
 Sample : P4561-03
 Misc : 5.29g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BP-F-19-VOC

Quant Time: Oct 29 01:59:23 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100924S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 16 05:44:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	187307	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	391970	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	363115	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	128122	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	136531	59.199	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.400%
35) Dibromofluoromethane	7.640	113	129994	50.257	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.520%
50) Toluene-d8	10.103	98	484278	50.700	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.400%
62) 4-Bromofluorobenzene	12.401	95	149259	43.246	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	86.500%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102824\
Data File : VY020041.D
Acq On : 28 Oct 2024 16:05
Operator : SY/MD
Sample : P4561-03
Misc : 5.29g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BP-F-19-VOC

Quant Time: Oct 29 01:59:23 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100924S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 16 05:44:48 2024
Response via : Initial Calibration

