

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY102925\  
 Data File : VY023612.D  
 Acq On : 29 Oct 2025 09:43  
 Operator : SY/MD  
 Sample : VY1029SBL01  
 Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 VY1029SBL01

Quant Time: Oct 30 03:13:20 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y100725S.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Oct 08 05:12:50 2025  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.713  | 168  | 736408   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.616  | 114  | 1228249  | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.414 | 117  | 990315   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.346 | 152  | 371765   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |         |
|-----------------------------|--------|-------|----------|----------|------|---------|
| System Monitoring Compounds |        |       |          |          |      |         |
| 33) 1,2-Dichloroethane-d4   | 8.061  | 65    | 297277   | 48.275   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 96.560% |
| 35) Dibromofluoromethane    | 7.634  | 113   | 368807   | 48.868   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 97.740% |
| 50) Toluene-d8              | 10.109 | 98    | 1376054  | 48.960   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 58 - 134 | Recovery | =    | 97.920% |
| 62) 4-Bromofluorobenzene    | 12.408 | 95    | 356077   | 38.374   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 30 - 143 | Recovery | =    | 76.740% |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY102925\  
Data File : VY023612.D  
Acq On : 29 Oct 2025 09:43  
Operator : SY/MD  
Sample : VY1029SBL01  
Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1029SBL01

Quant Time: Oct 30 03:13:20 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y100725S.M  
Quant Title : SW846 8260  
QLast Update : Wed Oct 08 05:12:50 2025  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.713 min Scan# 982  
Delta R.T. 0.006 min  
Lab File: VY023612.D  
Acq: 29 Oct 2025 09:43




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1029SBL01


Tgt Ion:168 Resp: 736408  
Ion Ratio Lower Upper  
168 100  
99 48.5 39.7 59.5



#33  
1,2-Dichloroethane-d4  
Concen: 48.275 ug/l  
RT: 8.061 min Scan# 1040  
Delta R.T. -0.000 min  
Lab File: VY023612.D  
Acq: 29 Oct 2025 09:43

Tgt Ion: 65 Resp: 297277  
Ion Ratio Lower Upper  
65 100  
67 52.5 0.0 105.8









#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 8.616 min Scan# 1131  
Delta R.T. -0.000 min  
Lab File: VY023612.D  
Acq: 29 Oct 2025 09:43




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1029SBL01


Tgt Ion:114 Resp: 1228249  
Ion Ratio Lower Upper  
114 100  
63 17.3 0.0 34.2  
88 14.7 0.0 28.4



#35  
Dibromofluoromethane  
Concen: 48.868 ug/l  
RT: 7.634 min Scan# 970  
Delta R.T. -0.000 min  
Lab File: VY023612.D  
Acq: 29 Oct 2025 09:43

Tgt Ion:113 Resp: 368807  
Ion Ratio Lower Upper  
113 100  
111 103.1 81.8 122.6  
192 22.0 18.0 27.0









#50  
Toluene-d8  
Concen: 48.960 ug/l  
RT: 10.109 min Scan# 11  
Delta R.T. 0.006 min  
Lab File: VY023612.D  
Acq: 29 Oct 2025 09:43




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY1029SBL01


Tgt Ion: 98 Resp: 1376054  
Ion Ratio Lower Upper  
98 100  
100 65.2 53.0 79.4



#62  
4-Bromofluorobenzene  
Concen: 38.374 ug/l  
RT: 12.408 min Scan# 1753  
Delta R.T. 0.006 min  
Lab File: VY023612.D  
Acq: 29 Oct 2025 09:43

Tgt Ion: 95 Resp: 356077  
Ion Ratio Lower Upper  
95 100  
174 95.8 0.0 192.8  
176 92.0 0.0 187.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY023612.D

Acq: 29 Oct 2025 09:43

Instrument :

MSVOA\_Y

ClientSampleId :

VY1029SBL01





Tgt Ion:117 Resp: 990315

Ion Ratio Lower Upper

117 100

82 52.2 41.0 61.4

119 32.0 25.6 38.4



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.000 min

Lab File: VY023612.D

Acq: 29 Oct 2025 09:43

Tgt Ion:152 Resp: 371765

Ion Ratio Lower Upper

152 100

115 55.0 27.1 81.2

150 157.0 0.0 347.4

