

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110124\
 Data File : VY020121.D
 Acq On : 01 Nov 2024 15:57
 Operator : SY/MD
 Sample : P4617-01RE
 Misc : 4.99g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RO-SOILRE

Quant Time: Nov 01 16:44:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 15:23:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	17350	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.616	114	32226	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	22323	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	5043	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	9852	45.498	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	91.000%
35) Dibromofluoromethane	7.634	113	10477	51.134	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.260%
50) Toluene-d8	10.103	98	34491	42.291	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	84.580%
62) 4-Bromofluorobenzene	12.401	95	7646	28.863	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	57.720%


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110124\
Data File : VY020121.D
Acq On : 01 Nov 2024 15:57
Operator : SY/MD
Sample : P4617-01RE
Misc : 4.99g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RO-SOILRE

Quant Time: Nov 01 16:44:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 15:23:13 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 982
Delta R.T. 0.000 min
Lab File: VY020121.D
Acq: 01 Nov 2024 15:57




Instrument :
MSVOA_Y
ClientSampleId :
RO-SOILRE


Tgt Ion: 168 Resp: 17350
Ion Ratio Lower Upper
168 100
99 67.5 39.1 58.7#



#33
1,2-Dichloroethane-d4
Concen: 45.498 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.000 min
Lab File: VY020121.D
Acq: 01 Nov 2024 15:57

Tgt Ion: 65 Resp: 9852
Ion Ratio Lower Upper
65 100
67 58.2 0.0 109.6









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.616 min Scan# 1131
 Delta R.T. 0.000 min
 Lab File: VY020121.D
 Acq: 01 Nov 2024 15:57




Instrument :
 MSVOA_Y
 ClientSampleId :
 RO-SOILRE


Tgt Ion:	114	Resp:	32226
Ion	Ratio	Lower	Upper
114	100		
63	23.2	0.0	35.0
88	14.7	0.0	27.2



#35
 Dibromofluoromethane
 Concen: 51.134 ug/l
 RT: 7.634 min Scan# 970
 Delta R.T. 0.000 min
 Lab File: VY020121.D
 Acq: 01 Nov 2024 15:57

Tgt Ion:	113	Resp:	10477
Ion	Ratio	Lower	Upper
113	100		
111	94.1	82.2	123.4
192	16.1	15.9	23.9





#50

Toluene-d8

Concen: 42.291 ug/l

RT: 10.103 min Scan# 1375

Delta R.T. -0.006 min

Lab File: VY020121.D

Acq: 01 Nov 2024 15:57

Instrument :

MSVOA_Y

ClientSampleId :





RO-SOILRE

Tgt Ion: 98 Resp: 34491

Ion Ratio Lower Upper

98 100

100 66.6 52.0 78.0



#62

4-Bromofluorobenzene

Concen: 28.863 ug/l

RT: 12.401 min Scan# 1752

Delta R.T. -0.006 min

Lab File: VY020121.D

Acq: 01 Nov 2024 15:57




Tgt Ion: 95 Resp: 7646


Ion Ratio Lower Upper

95 100

174 73.8 0.0 175.6

176 70.4 0.0 171.4





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 1590

Delta R.T. -0.006 min

Lab File: VY020121.D

Acq: 01 Nov 2024 15:57

Instrument :

MSVOA_Y

ClientSampleId :

RO-SOILRE





Tgt Ion:117 Resp: 22323

Ion Ratio Lower Upper

117 100

82 59.8 42.4 63.6

119 32.9 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY020121.D

Acq: 01 Nov 2024 15:57

Tgt Ion:152 Resp: 5043

Ion Ratio Lower Upper

152 100

115 61.3 28.2 84.7

150 158.9 0.0 345.6

