

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110424\
 Data File : VY020137.D
 Acq On : 04 Nov 2024 13:03
 Operator : SY/MD
 Sample : P4643-07
 Misc : 4.11g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BP-F8-VOC

Quant Time: Nov 05 00:30:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 15:23:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	179360	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.616	114	366381	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	321525	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	102468	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	121269	54.173	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	108.340%
35) Dibromofluoromethane	7.640	113	121600	52.202	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	104.400%
50) Toluene-d8	10.109	98	452557	48.808	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.620%
62) 4-Bromofluorobenzene	12.408	95	127240	42.248	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	84.500%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110424\
Data File : VY020137.D
Acq On : 04 Nov 2024 13:03
Operator : SY/MD
Sample : P4643-07
Misc : 4.11g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BP-F8-VOC

Quant Time: Nov 05 00:30:35 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 15:23:13 2024
Response via : Initial Calibration

