

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110424\
 Data File : VY020138.D
 Acq On : 04 Nov 2024 13:26
 Operator : SY/MD
 Sample : P4679-03
 Misc : 4.94g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MH-1-VOC

Quant Time: Nov 05 00:30:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 15:23:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	6153	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.622	114	10167	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	6808	50.000	ug/l	# 0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	887	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.073	65	3555	46.293	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	92.580%
35) Dibromofluoromethane	7.646	113	3343	51.716	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.440%
50) Toluene-d8	10.115	98	11664	45.332	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	90.660%
62) 4-Bromofluorobenzene	12.402	95	1637	19.587	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	39.180%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110424\
Data File : VY020138.D
Acq On : 04 Nov 2024 13:26
Operator : SY/MD
Sample : P4679-03
Misc : 4.94g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MH-1-VOC

Quant Time: Nov 05 00:30:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 15:23:13 2024
Response via : Initial Calibration

