

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110424\
 Data File : VY020140.D
 Acq On : 04 Nov 2024 14:13
 Operator : SY/MD
 Sample : P4680-07
 Misc : 5.99g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BP-F25-VOC

Quant Time: Nov 05 00:31:58 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 31 15:23:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	128671	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.615	114	275199	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	260221	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	95216	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	105371	65.615	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	131.220%
35) Dibromofluoromethane	7.640	113	95972	54.851	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	109.700%
50) Toluene-d8	10.109	98	343375	49.302	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.600%
62) 4-Bromofluorobenzene	12.407	95	106494	47.075	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	94.160%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110424\
Data File : VY020140.D
Acq On : 04 Nov 2024 14:13
Operator : SY/MD
Sample : P4680-07
Misc : 5.99g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BP-F25-VOC

Quant Time: Nov 05 00:31:58 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y103024S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 31 15:23:13 2024
Response via : Initial Calibration

