

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110425\
 Data File : VY023675.D
 Acq On : 04 Nov 2025 15:16
 Operator : SY/MD
 Sample : Q3532-03
 Misc : 5.64g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-1-VOC

Quant Time: Nov 05 04:52:47 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 05 04:41:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	742867	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	1269828	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	1042594	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	397918	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	346893	54.743	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	109.480%
35) Dibromofluoromethane	7.640	113	399637	50.360	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.720%
50) Toluene-d8	10.109	98	1417055	47.937	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.880%
62) 4-Bromofluorobenzene	12.408	95	386316	40.411	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	80.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110425\
Data File : VY023675.D
Acq On : 04 Nov 2025 15:16
Operator : SY/MD
Sample : Q3532-03
Misc : 5.64g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-1-VOC

Quant Time: Nov 05 04:52:47 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 05 04:41:50 2025
Response via : Initial Calibration

